

6306211 - BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

. 1.1 Product identifier

- . Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT
- . **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- . Application of the substance / the mixture Sealant

. 1.3 Details of the supplier of the safety data sheet

. Manufacturer(1)/Supplier(2):

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

. Further information obtainable from: Bison QESH

. 1.4 Emergency telephone number: +31 88 3235700

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

. 2.2 Label elements

- . Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation. . Hazard pictograms



. Signal word Warning

. Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P264 Wash hands thoroughly after handling.
- P280 Wear eye protection / face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)



Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

(Contd. of page 1)

Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

P337+P313 If eye irritation persists: Get medical advice/attention.

- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- . 3.2 Mixtures
- . Description: Sealant

. Dangerous components:		
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane Flam. Liq. 3, H226; Acute Tox. 4, H332	2.5-10%
CAS: 5593-70-4 EINECS: 227-006-8	titanium tetrabutanolate � Flam. Liq. 3, H226; � Eye Dam. 1, H318; � Skin Irrit. 2 H315	1.0-2.5% ,
	methanol	
. Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

. 4.1 Description of first aid measures

- . General information: No special measures required.
- . After inhalation: Supply fresh air; consult doctor in case of complaints.
- . After skin contact: Generally the product does not irritate the skin.
- . After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- . After swallowing: Do not induce vomiting; call for medical help immediately.
- . **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- . 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

(Contd. on page 3)

GB-EN



Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

(Contd. of page 2)

SECTION 6: Accidental release measures

. **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

. **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

. 7.2 Conditions for safe storage, including any incompatibilities

. Storage:

. Requirements to be met by storerooms and receptacles: No special requirements.

. Information about storage in one common storage facility: Not required.

. Further information about storage conditions: Keep receptacle tightly sealed.

. 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

. Additional information about design of technical facilities: No further data; see item 7.

. 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:		
67-56-1 methanol		
WEL (Great Britain)	Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm Sk	
IOELV (European Union)	Long-term value: 260 mg/m³, 200 ppm Skin	
. Additional information: The lists valid during the making were used as basis.		
. 8.2 Exposure controls . Personal protective equ . General protective and I The usual precautionary r Keep away from foodstuff	hygienic measures: neasures are to be adhered to when handling chemicals.	

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 4)



Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

(Contd. of page 3)

Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

. Respiratory protection: Not required.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

. Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

PVC or PE gloves Eye protection:



Tightly sealed goggles

9.1 Information on basic physical and of General Information Appearance:	chemical properties	
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	>370 °C	



Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

	(Contd. of page 4)
. Decomposition temperature:	Not determined.
. Auto-ignition temperature:	Product is not selfigniting.
. Explosive properties:	Product does not present an explosion hazard.
. Explosion limits: Lower: Upper:	Not determined. Not determined.
. Vapour pressure:	Not determined.
. Density at 20 °C: . Relative density . Vapour density . Evaporation rate	1.51 g/cm ³ Not determined. Not determined. Not determined.
. Solubility in / Miscibility with water:	Not miscible or difficult to mix.
. Partition coefficient: n-octanol/water:	Not determined.
. Viscosity: Dynamic at 20 °C: Kinematic: Organis solvents: . 9.2 Other information	1 mPas Not determined. 0.4 % All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

SECTION 10: Stability and reactivity

. **10.1 Reactivity** No further relevant information available.

- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . **10.4 Conditions to avoid** No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

. 11.1 Information on toxicological effects

. Acute toxicity Based on available data, the classification criteria are not met.

. LD/LC50 values relevant for classification:

67-56-1 methanol

Oral LD50 13000 mg/kg (rat)

. Primary irritant effect:

. Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

(Contd. of page 5)

Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

. Serious eye damage/irritation

Causes serious eye irritation.

. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

. CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

. Germ cell mutagenicity Based on available data, the classification criteria are not met.

. Carcinogenicity Based on available data, the classification criteria are not met.

. Reproductive toxicity Based on available data, the classification criteria are not met.

. STOT-single exposure Based on available data, the classification criteria are not met.

. STOT-repeated exposure Based on available data, the classification criteria are not met.

. Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

. 12.1 Toxicity

. Aquatic toxicity: No further relevant information available.

. 12.2 Persistence and degradability No further relevant information available.

. 12.3 Bioaccumulative potential No further relevant information available.

. **12.4 Mobility in soil** No further relevant information available.

. Additional ecological information:

. General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

. **PBT:** Not applicable.

. vPvB: Not applicable.

. 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

. 13.1 Waste treatment methods

. Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

. Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN-Number		
ADR/ADN, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR/ADN, ADN, IMDG, IATA	Void	



Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

	(Contd. of page 6
. 14.3 Transport hazard class(es)	
. ADR/ADN, ADN, IMDG, IATA . Class	Void
. 14.4 Packing group . ADR/ADN, IMDG, IATA	Void
. 14.5 Environmental hazards: . Marine pollutant:	No
. 14.6 Special precautions for user	Not applicable.
. 14.7 Transport in bulk according to Anne of Marpol and the IBC Code	x II Not applicable.
. Transport/Additional information:	
. IMDG . Remarks:	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
. UN "Model Regulation":	Void

SECTION 15: Regulatory information

. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

. Directive 2012/18/EU

. Named dangerous substances - ANNEX I methanol

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.

H370 Causes damage to organs.

. Department issuing SDS: Bison QESH

. Contact: Reach coördinator

(Contd. on page 8)



6306211 - BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.08.2017

Version number 28

Revision: 16.08.2017

(Contd. of page 7)

GB-EN

Trade name: BOSTIK SIL-NEUTRO NERO (HARDWARE) CRT 300ML*12 IT

. Abbreviations and acronyms:

- Flam. Liq. 2: Flammable liquids Category 2 Flam. Liq. 3: Flammable liquids Category 3 Acute Tox. 3: Acute toxicity Category 3 Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2

- Eye Dam. 1: Serious eye damage/eye irritation Category 1 Eye Irrit. 2: Serious eye damage/eye irritation Category 2 STOT SE 1: Specific target organ toxicity (single exposure) Category 1

* Data compared to the previous version altered.