



SUPER CONTROL+ LIQUID

LIQUID SUPER GLUE IN A SAFE-STANDING CONTAINER WITH
DIRECT-STOP-TECHNOLOGY



PRODUCT DESCRIPTION

Ultra-fast and extremely strong liquid super glue in a solid, safe-standing 5g container with Direct-Stop-Technology. Ensures an easy and controlled application of the desired amount of glue, without dripping. Flows into smallest corners and joints. Dishwasher proof and water resistant (only if used correctly).

FIELD OF APPLICATION

Ideal for small-area bonds. Glues almost all solid and flexible materials such as many plastics (such as rigid PVC, ABS, PS, Plexiglas®, polycarbonate (Makrolon®), and phenolic resins (Bakelite®)), leather, porcelain, ceramics, metal, wood, cork, felt, cloth (check suitability first), and rubber. Only partly suitable for glass (over a certain period of time the bond becomes brittle, causing it to weaken). Not suitable for PE, PP, silicone resins and rubbers, PTFE, styrofoam, fabrics and leather clothing.

PROPERTIES

- Safe-standing container
- With Direct-Stop-Technology
- Does not drip, with suckback effect
- Easy and clean to use
- Super fast and extremely strong
- Dishwasher proof and water resistant

PREPARATION

Working conditions: Do not use at temperatures below +10°C. The glue responds best to an air humidity level of 50-70%.

Surface requirements: Surfaces to be glued must be clean, dry, and free of dust and grease, and must fit exactly.

APPLICATION

Directions for use:

1. To pierce the membrane, turn the whole cap clockwise firmly onto the container. 2. Unscrew the top cap to reveal applicator. Apply a thin layer of adhesive to one side by exerting sufficient pressure on the middle of the container's body. Press parts together immediately. After use: Clean nozzle with a dry tissue and replace cap. Store in a cool, dry place.

Stains/residue: Wipe off excess glue immediately with a dry cloth. After curing, glue residue is very difficult to remove. Acetone will dissolve glue but very slowly (check suitability first).

Advice: When glueing at low humidity, curing time can be shortened by briefly breathing onto one of the parts to be assembled. The best glueing results are reached at room temperature.

Points of attention: Contains cyanoacrylate. Bonds skin and eyelids together in seconds. If product comes into contact with the eyes, rinse immediately with plenty of water and seek medical advice. In case of contact with skin, glue can be dissolved by soaking in warm soapy water. Then apply a skin cream. May cause respiratory irritation. Avoid breathing vapours. Keep out of the reach of children.

TECHNICAL PROPERTIES

Moisture resistance: Good

Water resistance: Good

TECHNICAL SPECIFICATIONS

Consistency: Liquid

STORAGE CONDITIONS

Store in a dry, cool, frost-free place. Storage below +5°C (in refrigerator) ensures maximum shelf life.

PHYSIOLOGICAL PROPERTIES

Cyanoacrylate adhesives are to a great extent considered to be physiologically safe.

PACK SIZES

5g standing tube